

ICHOM Standard Set for

PARKINSON'S DISEASE

Treatment approaches covered

Pharmacotherapy | Behavioral therapy | Exercise-based therapy | Deep brain stimulation | Infusion/injection-based delivery

For a complete overview of the ICHOM Standard Set, including definitions for each measure, time points for collection, and associated risk factors, visit ichom.org/medical-conditions/Parkinsons-Disease



Details

- ¹ Includes cognitive impairment, hallucinations and psychosis, depressed mood, anxious mood, apathy, and features of dopamine dysregulation syndrome
- ² Includes sleep problems, daytime sleepiness, pain and other sensations, urinary problems, constipation problems, light headedness on standing, fatigue, sweating, and sexual function
- ³ Includes speech, saliva and drooling, chewing and swallowing, eating tasks, dressing, hygiene, handwriting, doing hobbies and other activities, turning in bed, tremor, getting out of a bed, a car, or a deep chair, walking and balance, and freezing.
- ⁴ Recommended to track via the Parkinson's Disease Quality of Life Questionnaire (PDQ-8)



ICHOM

PARKINSON'S DISEASE


Revised: April 20th, 2015

Standard Set


APPROACH

The ICHOM Standard Set is the result of hard work by a group of leading physicians, measurement experts and patients together with the non-profit organization ICHOM. It represents the outcomes that matter most to patients with Parkinson's disease. We urge all providers around the world to start measuring these outcomes to better understand how to improve the lives of the patients they serve.

The Process



The Working Group



Canada

Connie Marras | University of Toronto

Germany

Richard Dodel | Philipps-Universität Marburg

Italy

Angelo Antonini | IRCCS San Camillo, Venice

Netherlands

Bas Bloem | Radboud University Nijmegen Medical Center

Spain

Pablo Martinez-Martin | National Center of Epidemiology and CIBERNED

Sweden

Peter Hagell | Kristianstad University
Per Odin | Skåne University Hospital
Paul de Roos | Uppsala University Hospital

United Kingdom

K Ray Chaudhuri | King's College, London

United States

Shyamal Mehta | Mayo Clinic
Ryan Uitti | Mayo Clinic
Daniel Weintraub | Hospital of the University of Pennsylvania
Bill Wilson* | Parkinson's Disease Foundation

*Patient representative